

Session #14 Panel: Hot Topics in the U.S. Commercial LLW Management

Larry W. Camper, CEP, Director
Division of Waste Management and Environmental Protection
Office of Federal and State Materials and Environmental
Management Programs


February 27, 2012



Volume Reduction Policy Statement

Site-Specific Analysis

Risk-Inform
Waste Classification
Classification
System



20.2002 Authorizations


Concentration
Averaging Branch
Technical Position

Comprehensive 10 CFR Part 61





- Site-Specific Analysis Rulemaking
- Risk-Inform, Performance-Base Waste Classification Scheme Framework
- Concentration Averaging Branch Technical Position
- Volume Reduction Policy Statement
- 20.2002 Authorizations
- Comprehensive Revision to 10 CFR Part 61





Unique Waste Streams Rulemaking

- Significant Quantities of DU from Commercial Enrichment
- Not Considered in 10 CFR Part 61
- Commission Direction in Memorandum and Order CLI-05-20
- NRC Staff Evaluation in SECY-08-0147
- Site-Specific Analysis Rulemaking
- 01/2012, SRM-CMWDM11-0002



Site-Specific Analysis Rulemaking

- Require Site-Specific Analysis
- Period of Performance
- Conduct Stylized Human Intrusion Analysis
- Establish Intruder Dose Limit of 500 mrem
- Incorporate Blending (SECY-10-0043)
- Reduce Ambiguity and Facilitate Implementation
- Parameters/assumptions Guidance (Public Comment)



New Commission Direction

Process

Policy

Timeline

- Proposed Rule to Commission in 18 months
- Notify Commission and provide path forward it will take beyond 18 months

Public Outreach

01/2012 – SRM Process



- Expand Site-Specific Analysis Rulemaking
- Extensive Interactions with Stakeholders
- Commission Reserves Judgment on Final Rule Text
- Staff Should Immediately Notify Commission if Health & Safety Concern is Identified
- Staff Should Balance Information in Developing Period of Compliance
- This SRM Only Addresses Four Issues
 - Continue other Part 61 activities as Commission directed after this limited SSA rulemaking is done





- Licensee Flexibility to Use ICRP Dose Methodologies
- Compliance Period for Reasonably Foreseeable Future
- Period of Performance Based on Site Characteristics
 - No specific number of years in the rule itself
- Disposal Facility Flexibility to Establish Site-Specific Waste Acceptance Criteria
- Compatibility Category for Safety Fundamentals/Implementation Flexibility



Risk-Informing Waste Classification System

- SECY-08-0147 Commission Direction to Risk-Inform Waste Classification System
 - Staff propose resources
 - Using updated assumptions
 - Using latest ICRP methodology
 - Make conforming changes in Legislation, if needed



Risk-Informing Waste Classification System (cont.)

- Status Deferred due to:
 - Commission Budget Direction In FY12
 - Use Resources For SSA Rulemaking In Later Years
- Path Forward
 - Part Of Any Option For Comprehensive Revision
 - Recent Commission SRM Delayed Decision Until After SSA Rulemaking



Concentration Averaging Branch Technical Position (BTP)

- Better Risk-Inform Sealed Source Guidance
- Treat Cartridge Filters as Homogeneous Wastes
- Clarify New GTCC Direction
- Eliminate or Revise Factors of 1.5 and 10 for Discrete wastes
- Revisit 100 year Institutional Control Period



CA BTP Current Status

- Major Outcomes of Last Public Meeting
- Numerous Comments will be Addressed in Revision
 - LLW Forum Disused Source Working Group comments from States that regulate LLW sites
- Status
 - Revision expected to be available for public comment by 05/31/12 for 60 days



Volume Reduction Policy Statement

- 1981 Volume Reduction Policy Statement
- Blending Concerns
- Industry Practices
- Maximize All Tools for Waste Management
- Published FRN for Public Comments on 08/15/11 (Press Release on 08/17/11)
- Comment Period Ended on 10/14/11
- Submitted to Commission on 01/09/12
- Publicly Available on 01/25/12 (ML113400169)




Authorizations Pursuant to 20.2002

- Procedures Not Otherwise Authorized
- Very Low Activity Waste
- NRC Processes 10-15 per year; but, increasing in both waste volume and number of requests
- RCRA Site or Landfill Disposal
- Practice is a few millirem
- Guidance Under Development
- Warrants Regulatory Review



20.2002 Exemptions





Comprehensive Revision to Part 61

- June 17, 2010, Meeting with Staff and Stakeholders on Blending
 - "the staff should provide the Commission with the staff's approach to initiate activities related to a risk-informed, performance-based comprehensive revision to Part 61, including the resources and the timeline for completing the rulemaking"
- SECY-10-0165, Comprehensive Revisions to 10 CFR Part 61



SECY-10-0165 Options

- Risk-Inform the Current Part 61 Waste Classification Framework
- Comprehensive Revision
- Site-Specific Waste Acceptance Criteria
- International Alignment
- Supersede Direction in SECY-08-0147




Staff Recommendation

- Solicit Stakeholder Views
- DOE/NRC Joint Workshop on 03/04/11
- Subsequent Workshops in 2011 & 2012
- Results and Recommendation to Commission after Public Input
- Goal is to Maximize Public Input



Part 61 Stakeholders Input





Maximizing Stakeholder Input (Future Events)

LOCATION	DATE	EVENT
Phoenix, AZ	March 2, 2012	NRC-Sponsored Public Meeting #1 (following WM2012 Meeting)
San Francisco, CA	April 23, 2012	LLW Forum Spring Meeting
Orlando, FL	May 7, 2012	CRCPD Annual Meeting
Dallas, TX	May 15, 2012	NRC-Sponsored Public Meeting #2
Tucson, AZ	May 22, 2012	EPRI Annual LLW Meeting
Rockville, MD	Mid-July, 2012	NRC-Sponsored Public Meeting #3
Sacramento, CA	July 22, 2012	HP Society Annual Meeting
Milwaukee, WI	August 27, 2012	OAS Annual Meeting



Pt. 61 Public Meetings

- Recent Commission Direction (01/19/2012)
 - SRM-COMWDM-11-0002/COMGEA-11-0002
- Emergent Policy/Technical Issues
- SECY-10-0165 Options/Other Options
- Other/New Issues
- Stakeholder Feedback
- Impacts on Future Direction



Questions

