

Preliminary Evaluation of Removing Used Nuclear Fuel from Shutdown Sites – An Update – 16057

Steven Maheras *, Ralph Best **, Steven Ross *, Jeff England ***, L. Mel Massaro ****, Philip Jensen *

* Pacific Northwest National Laboratory

** Independent Consultant

*** Savannah River National Laboratory

**** Federal Railroad Administration - US DOT

ABSTRACT

An updated preliminary evaluation of removing spent nuclear fuel (SNF) from 13 shutdown nuclear power reactor sites was conducted. At these shutdown sites the nuclear power reactors have been permanently shut down and the sites have been decommissioned or are undergoing decommissioning. The shutdown sites were Maine Yankee, Yankee Rowe, Connecticut Yankee, Humboldt Bay, Big Rock Point, Rancho Seco, Trojan, La Crosse, Zion, Crystal River, Kewaunee, San Onofre, and Vermont Yankee. The evaluation was divided into four components: (1) characterization of the SNF and greater-than-Class C low-level radioactive waste (GTCC waste) inventory, (2) a description of the on-site infrastructure and conditions relevant to transportation of SNF and GTCC waste, (3) an evaluation of the near-site transportation infrastructure and experience relevant to shipping transportation casks containing SNF and GTCC waste, including identification of gaps in information, and (4) an evaluation of the actions necessary to prepare for and remove SNF and GTCC waste. Every site was found to have at least one off-site transportation mode option for removing its SNF and GTCC waste; some have multiple options. Experience removing large components during reactor decommissioning provided an important source of information used to identify the transportation mode options for the sites. Especially important in conducting the evaluation were site visits, through which information was obtained that would not have been available otherwise. Extensive photographs taken during the site visits proved to be particularly useful in documenting the current conditions at or near the sites. It is expected that additional site visits will be conducted to add to the information presented in the evaluation.

INTRODUCTION

In January 2013, the U.S. Department of Energy (DOE) issued the Administration's Strategy for the Management and Disposal of Used Nuclear Fuel and High-Level Radioactive Waste [1]. Among the elements contained in this strategy is an initial focus on accepting spent nuclear fuel (SNF) from shutdown reactor sites. This focus is consistent with the recommendations of the Blue Ribbon Commission on America's Nuclear Future, which identified removal of stranded SNF at shutdown sites as a priority so that these sites may be completely decommissioned and put to other beneficial uses [2].

In order to prepare for the transportation of SNF with an initial focus on removing SNF from the shutdown sites, a preliminary evaluation of removing SNF from 13 shutdown sites was conducted. The shutdown sites were Maine Yankee, Yankee Rowe, Connecticut Yankee, Humboldt Bay, Big Rock Point, Rancho Seco, Trojan, La Crosse, Zion, Crystal River, Kewaunee, San Onofre, and Vermont Yankee (see Fig. 1). These sites have no other operating nuclear power reactors at their sites and have also notified the U.S. Nuclear Regulatory Commission (NRC) that their reactors have permanently ceased power operations and that nuclear fuel has been permanently removed from their reactor vessels. Shutdown reactors at sites having other operating reactors were not included in this evaluation.

EVALUTION OF THE SHUTDOWN SITES

The evaluation of the shutdown sites was divided into four components:

- characterization of the SNF and greater-than-Class C low-level radioactive waste (GTCC waste) inventory
- a description of the on-site infrastructure and conditions relevant to transportation activities
- an evaluation of the near-site transportation infrastructure and experience relevant to shipping transportation casks containing SNF from the shutdown sites, including gaps in information
- an evaluation of the actions necessary to prepare for and remove SNF and GTCC waste from the shutdown sites.

Maheras et al. [3] summarizes the information used in the evaluation. The primary sources for the inventory of SNF and GTCC waste are the DOE RW-859 used nuclear fuel inventory database, industry sources such as StoreFUEL and SpentFUEL, and government sources such as the U.S. Nuclear Regulatory Commission (NRC). The primary sources for the information on the on-site conditions and near-site transportation infrastructure and experience include site visits to the Maine Yankee, Yankee Rowe, Connecticut Yankee, Humboldt Bay, Big Rock Point, Rancho Seco, Trojan, La Crosse, Zion, Kewaunee, Crystal River, and San Onofre sites; information provided by managers at the shutdown sites; Facility Interface Data Sheets compiled for DOE in 2005; Services Planning Documents prepared for DOE in 1993 and 1994; industry publications such as Radwaste Solutions; and Google Earth. State, State Regional Group, tribal, and Federal Railroad Administration representatives have participated in nine of the shutdown site visits.

RESULTS

Fig. 2 illustrates the number of canisters containing SNF and GTCC waste that are stored or are anticipated to be stored at each of the shutdown sites. The number of canisters stored at Maine Yankee, Yankee Rowe, Connecticut Yankee, Humboldt Bay, Big Rock Point, Rancho Seco, Trojan, La Crosse, and Zion represent actual canisters in storage. The number of SNF canisters at Crystal River, Kewaunee,




Fig. 1. Locations of shutdown sites.

San Onofre, and Vermont Yankee represents an estimate of the number of canisters that will be stored at the conclusion of canister loading and the number of canisters at Crystal River, Kewaunee, San Onofre, and Vermont Yankee containing GTCC waste represents an estimate of the number of canisters generated during decommissioning. There are predicted to be a total of 541 to 547 canisters in storage at the 13 sites (actual plus estimated). The number of canisters ranges from 5 at La Crosse to 134 to 140 at San Onofre.

Fig. 3 illustrates the number of SNF assemblies stored at each site. There are a total of 17,963 SNF assemblies present at the shutdown sites. These assemblies are composed of 12,919 pressurized water reactor assemblies and 5044 boiling water reactor assemblies. The number of assemblies ranges from 333 at La Crosse to 3880 at Vermont Yankee. The majority (16,301) of the SNF assemblies are zirconium alloy-clad; but Yankee Rowe, Connecticut Yankee, La Crosse, and San Onofre-1 have a combined total of 1662 stainless steel-clad SNF assemblies in storage.

Fig. 4 illustrates the metric tons of heavy metal stored at each site. A total of 6227.7 metric tons heavy metal (MTHM) of used nuclear fuel at the shutdown sites consists of 5399.5 MTHM of pressurized water reactor SNF and 828.2 MTHM of boiling water reactor SNF.

WM2016 Conference, March 6 – 10, 2016, Phoenix, Arizona, USA




Fig. 2. Number of canisters at shutdown sites.




Fig. 3. Number of assemblies at shutdown sites.




Fig. 4. Metric tons heavy metal at shutdown sites.

Table I lists the storage systems used at the shutdown sites and the corresponding transportation casks that are certified to ship the storage canisters containing SNF and GTCC waste at each of the sites. The 13 shutdown sites use designs from 4 different suppliers, including 11 different (horizontal and vertical) storage systems that would require 9 different transportation cask designs. Out of the nine transportation cask designs listed in Table I, only three types have been fabricated for use in the U.S.: the HI-STAR HB, the MP187, and the HI-STAR 100. Impact limiters have not been fabricated for any of the transportation casks. The HI-STAR HB transportation casks can only be used to ship SNF from the Humboldt Bay site. The MP187 transportation cask can be used to ship SNF from the Rancho Seco and San Onofre sites. The HI-STAR 100 casks that have been fabricated are being used as storage casks at the Dresden and Hatch commercial nuclear power reactor sites. For these HI-STAR 100s to be used to ship SNF from the Trojan site, they would need to be unloaded, their contents placed in other storage overpacks, and the casks transported to the Trojan site. It would also be necessary to procure impact limiters and spacers for the HI-STAR 100 casks. Two NAC-STC transportation casks have been fabricated for use in China, but not for use in the United States. In addition, an MP197HB transportation cask is being fabricated in Japan.

TABLE I. Storage systems and transportation casks at shutdown sites.

Reactor Site	ISFSI Load Dates ^a	Storage System/ Canister(s)	Transportation Cask Status	Canisters SNF/GTCC
Maine Yankee (PWR)	08/2002-03/2004	NAC-UMS/transportable storage canister	NAC-UMS UTC (Docket No. 71-9270) Certificate expires 10/31/2017. None fabricated	60/4
Yankee Rowe (PWR)	06/2002-06/2003	NAC-MPC/Yankee-MPC transportable storage canister	NAC-STC (Docket No. 71-9235) Certificate expires 05/31/2019. Foreign use versions fabricated.	15/1
Connecticut Yankee (PWR)	05/2004-03/2005	NAC-MPC/CY-MPC transportable storage canister	NAC-STC (Docket No. 71-9235) Certificate expires 05/31/2019. Foreign use versions fabricated.	40/3
Humboldt Bay (BWR)	08/2008-12/2008	Holtec HI-STARHB/ MPC-HB canister	HI-STAR HB (Docket No. 71-9261) Certificate expires 04/30/2019. Fuel in canisters in fabricated casks. No impact limiters.	5/1
Big Rock Point (BWR)	12/2002-03/2003	Fuel Solutions W150 Storage Overpack/W74 canister	TS125 (Docket No. 71-9276) Certificate expires 10/31/2017. None fabricated.	7/1
Rancho Seco (PWR)	04/2001-08/2002	TN NUHOMS/FO-DSC, FC-DSC, and FF-DSC canisters	MP187 (Docket No. 71-9255) Certificate expires 11/30/2018. One cask fabricated. No impact limiters.	21/1
Trojan (PWR)	12/2002-09/2003	TranStor Storage Overpack/Holtec MPC-24E and MPC-24EF canisters	HI-STAR 100 (Docket No. 71-9261) Certificate expires 04/30/2019. Units fabricated but dedicated to storage at other sites. No impact limiters or spacers.	34/0
La Crosse (BWR)	07/2012-09/2012	NAC MPC-LACBWR/ MPC-LACBWR transportable storage canister	NAC-STC (Docket No. 71-9235) Certificate expires 05/31/2019. Foreign use versions fabricated.	5/0
Zion 1 and 2 (PWR)	12/2013-03/2015	NAC MAGNASTOR/TSC-37 canister	MAGNATRAN (Docket No. 71-9356) Application for certificate of compliance under review. None fabricated.	61/4 ^b
Crystal River (PWR)	Planned 01/2018-08/2019	TN Standardized NUHOMS/32PTH1 canister	MP197HB (Docket No. 71-9302) Certificate expires 08/31/2017. Fabrication of cask expected to be completed in 2015.	39/5 ^{b,c}
Kewaunee (PWR)	08/2009-08/2014	TN Standardized NUHOMS/32PT canister	MP197HB (Docket No. 71-9302) Certificate expires 08/31/2017. Fabrication of cask expected to be completed in 2015.	14
Kewaunee (PWR)	Planned 2016	NAC MAGNASTOR/TSC-37 canister	MAGNATRAN (Docket No. 71-9356) Application for certificate of compliance under review. None fabricated.	24/2 ^{b,c}
Kewaunee Total				38/2

TABLE I. Storage systems and transportation casks at shutdown sites (cont).

Reactor Site	ISFSI Load Dates ^a	Storage System/ Canister(s)	Transportation Cask Status	Canisters SNF/GTCC
San Onofre-1 (PWR)	09/2003-06/2005	TN Standardized Advanced NUHOMS/24PT1 canisters	MP187(Docket No. 71-9255) Certificate expires 11/30/2018. One cask fabricated. No impact limiters.	17/1
San Onofre-2 and -3 (PWR)	03/2007-07/2012	TN Standardized Advanced NUHOMS/24PT4 canisters	MP197HB (Docket No. 71-9302) Certificate expires 08/31/2017. Fabrication of cask expected to be completed in 2015.	33
San Onofre-2 and -3 (PWR)	Not Announced	TN Standardized Advanced NUHOMS/24PT4 canisters	MP197HB (Docket No. 71-9302) Certificate expires 08/31/2017. Fabrication of cask expected to be completed in 2015.	0-12/0-12 ^{b,c}
San Onofre-2 and -3 (PWR)	Not Announced	TN Standardized Advanced NUHOMS/24PT4 and 32PTH2 ^d canisters	MP197HB (Docket No. 71-9302) Certificate expires 08/31/2017. Fabrication of cask expected to be completed in 2015.	0-6/0-6 ^{b,c}
San Onofre-2 and -3 (PWR)	Not Announced	Holtec HI-STORM UMAX/MPC-37 canisters	HI-STAR 190 (Docket No. 71-9373) Application for certificate of compliance submitted in 2015.	≤73/0 ^b
San Onofre Total				123-129/11
Vermont Yankee (BWR)	05/2008-06/2012	Holtec HI-STORM 100S/MPC-68 canisters	HI-STAR 100 (Docket No. 71-9261) Certificate expires 04/30/2019. Units fabricated but dedicated to storage at other sites. No impact limiters or spacers.	13/0
Vermont Yankee (BWR)	Not Announced	Holtec HI-STORM 100S/MPC-68 canisters	HI-STAR 100 (Docket No. 71-9261) Certificate expires 04/30/2019. Units fabricated but dedicated to storage at other sites. No impact limiters or spacers.	45/2 ^{b,c}
Vermont Yankee Total				58/2
Total				506-512/35

a. Dates represent the dates that the used nuclear fuel was transferred to the ISFSI.

b. Estimated.

c. Additional canisters of GTCC low-level radioactive waste could be generated during decommissioning.

d. The list of approved contents in the certificate of compliance for the MP197HB transportation cask would have to be modified to include the 32PTH2 canister.

BWR= boiling water reactor

GTCC= greater-than-Class C

ISFSI= independent spent fuel storage installation

PWR= pressurized water reactor

SNF= spent nuclear fuel

Several issues were identified during the characterization of the SNF and GTCC waste inventory at the shutdown sites. The most important of the issues was at the Rancho Seco site, where six damaged fuel assemblies were loaded into five fuel-with-control-component dry shielded canisters (FC-DSCs) instead of into failed fuel dry shielded canisters (FF-DSCs). Further evaluation would be needed to determine if the canisters containing this damaged fuel can be shipped in the MP187 transportation cask without repackaging. In addition, the transportation certificate of compliance for the HI-STAR HB transportation cask would also need to be revised

to allow transport of 44 SNF assemblies at Humboldt Bay with initial enrichments of 2.08 weight percent, which is less than the minimum initial enrichment authorized by the NRC transportation certificate of compliance.

The lists of approved contents in the certificates of compliance for the TS125, HI-STAR HB, and MP187 transportation casks do not include GTCC waste. For GTCC waste to be shipped from the Humboldt Bay, Rancho Seco, and San Onofre sites in these transportation casks, the certificates of compliance would need to be revised. Also, the certificates of compliance for the TS125 and MP187 transportation casks would need to be updated from a -85 to a -96 designation before the casks or impact limiters could be fabricated. In addition, the SNF or GTCC waste that may be stored in 32PTH2 canisters at San Onofre would not be transportable without changes to the list of approved contents in the certificate of compliance for the MP197HB transportation cask.

Six of the sites, Maine Yankee, Zion, Crystal River, Kewaunee, San Onofre, and Vermont Yankee, have high burnup used nuclear fuel in storage. The 90 high burnup used nuclear fuel assemblies at Maine Yankee are packaged in Maine Yankee Fuel Cans (i.e., damaged fuel cans). This option for transporting high burnup used nuclear fuel is allowed by the certificate of compliance for the NAC-UMS UTC transportation cask, and eliminates the concern over its transportability. For the Zion site, all high burnup fuel was packaged in damaged fuel cans. This also eliminates the concern over transportability of the 36 high burnup used nuclear fuel assemblies at Zion. High burnup used nuclear fuel stored in 32PTH1 canisters at Crystal River and 24PT4 canisters at San Onofre would be transportable in the MP197HB transportation cask; high burnup used nuclear fuel that will be stored in MPC-68 canisters at Vermont Yankee would not be transportable without changes to the list of approved contents in the certificate of compliance for the HI-STAR 100 transportation cask. An application for a certificate of compliance for the HI-STAR 190 transportation cask has been submitted to the NRC; high burnup used nuclear fuel that will be stored in MPC-37 canisters at San Onofre would be transportable if it is included in the list of approved contents in the certificate of compliance for the HI-STAR 190 transportation cask.

All sites were found to have at least one off-site transportation mode option for removing their SNF and GTCC waste, and most sites have multiple options. Table II provides a summary of these transportation mode options for the shutdown sites. Experience with large component removals during reactor decommissioning provided an important source of information in developing Table II.

As part of the evaluation, the current condition of the transportation infrastructure at the shutdown sites was observed. In some cases, transportation infrastructure was removed during decommissioning or was not being actively maintained (see Fig. 5). In other cases, transportation infrastructure appeared to be in good condition or was being maintained as part of decommissioning activities (see Figs. 6

through 8). At some sites, the transportation infrastructure was in active use (see Fig. 9). Other sites would require transloading onto railcars or barges off-site (see Fig. 10).

TABLE II. Summary of transportation mode options.

Site	Transportation Mode Options		Comments
Maine Yankee	Direct rail	Barge to rail	The on-site rail spur is not being maintained. The condition of the Maine Eastern Railroad would need to be verified.
Yankee Rowe	Heavy haul truck to rail	–	Potential transload location at the east portal of the Hoosac Tunnel (12 km from site).
Connecticut Yankee	Barge to rail	Heavy haul truck to rail	The on-site barge slip has not been used since decommissioning but remains intact. It is uncertain whether the cooling water discharge canal is deep enough to accommodate barges without dredging. The shortest heavy haul would be about 20 km to the end of the Portland rail spur. The rail infrastructure at the end of the Portland rail spur would need to be evaluated.
Humboldt Bay	Heavy haul truck to rail	Heavy haul truck to barge to rail	The heavy haul distance to a rail siding or spur would be in the range of 260 to 450 km. The condition of the Fields Landing Terminal located 3.2 km from the Humboldt Bay site would need to be verified for barge transport.
Big Rock Point	Heavy haul truck to rail	Barge to rail	Potential transload locations in Gaylord, Michigan (84 km from site) and Petoskey, Michigan (21 km from site). The rail infrastructure at these locations would need to be evaluated.
Rancho Seco	Direct rail	–	The rail spur is not being maintained. Weight restrictions on the Lone Industrial Lead would require route clearance by the railroad or a track upgrade.
Trojan	Direct rail	Barge to rail	The on-site rail spur was removed.
La Crosse	Direct rail	Barge to rail	An on-site rail spur was used to ship the reactor pressure vessel.
Zion	Direct rail	Barge to rail	The rail spur was recently refurbished to support reactor decommissioning waste shipments.
Crystal River	Direct rail	Barge to rail	Extensive on-site rail system serves co-located fossil fuel plants. Have not conducted site visit.
Kewaunee	Heavy haul truck to rail	Heavy haul truck to barge to rail	Potential rail transload locations in Bellevue, Luxemburg, Denmark, and Manitowoc. Potential barge transload location in city of Kewaunee.
San Onofre	Direct rail	Heavy haul truck to barge to rail	The rail spur was recently refurbished to support reactor decommissioning. Have not conducted site visit.
Vermont Yankee	Direct rail	–	The on-site rail spur will be reactivated to support decommissioning.



Fig. 5. Condition of onsite rail system at Maine Yankee (2012).



Fig. 6. Onsite rail spur at La Crosse (2013)



Fig. 7. Junction of onsite rail spur and Union Pacific Railroad at Zion (2013).



Fig. 8. Junction of on-site rail spur and mainline at San Onofre (2015)



Fig. 9. On-site rail spur at Crystal River (2015)



Fig. 10. Potential off-site transload location near Kewaunee (2014)

CONCLUSIONS

An updated preliminary evaluation of removing SNF and GTCC waste from 13 shutdown sites was conducted. The evaluation included characterization of the sites' inventories of SNF and GTCC waste, on-site conditions, and near-site transportation infrastructure and experience. Especially important in conducting the evaluation were site visits, through which information was obtained that would not otherwise have been available. Extensive photographs taken during the site visits proved to be particularly useful in documenting the current conditions at or near the sites. Additional conclusions from this evaluation include:

- The 13 sites use designs from 4 different suppliers involving 11 different (horizontal and vertical) dry storage systems that would require the use of 9 different transportation cask designs to remove the SNF and GTCC waste from the shutdown sites.
- Each site has unique features and/or conditions.
- Although some changes to transportation certificates of compliance will be required, the SNF at the initial 9 shutdown sites (Maine Yankee, Yankee Rowe, Connecticut Yankee, Humboldt Bay, Big Rock Point, Rancho Seco, Trojan, La Crosse, and Zion) is in dual purpose dry storage canisters that can be transported, including a small amount of high-burnup fuel.
- Most sites indicated that 2-3 years of advance time would be required for its preparations before shipments could begin. Some sites could be ready in less time.
- Most sites have more than one transportation option, e.g., rail, barge, or heavy haul truck, as well as constraints and preferences.

As additional sites such as Oyster Creek, Pilgrim, and Fitzpatrick shut down, they will be added to the evaluation.

REFERENCES

1. DOE. *Strategy for the Management and Disposal of Used Nuclear Fuel and High-Level Radioactive Waste*, U.S. Department of Energy, Washington, D.C. (2013).
2. BRC. *Blue Ribbon Commission on America's Nuclear Future, Report to the Secretary of Energy*, Prepared by the Blue Ribbon Commission on America's Nuclear Future for the U.S. Department of Energy, Washington, D.C. (2012).
3. S. J. MAHERAS, R. E. BEST, S. B. ROSS, K. A. BUXTON, J. L. ENGLAND, P. E. MCCONNELL, L. M. MASSARO, and P. J. JENSEN. *Preliminary Evaluation of Removing Used Nuclear Fuel from Shutdown Sites*, Report No. FCRD-NFST-2015-000498, U.S. Department of Energy, Washington, D.C. (2015).

ACKNOWLEDGEMENTS

Pacific Northwest National Laboratory is operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract No. DE-AC05-76RL01830. This work was supported by the U.S. Department of Energy Nuclear Fuels Storage and Transportation Planning Project.